



Four wheel mini tractor

New series: (25HP-40HP)



PRECISION AGRICULTURE

pandatractor.com



preparing



growing



baler




seeding



harvesting

RELIABLE



- Hydraulic power steering system, four-wheel drive models can equip full hydraulic steering.
- Thick and strong 3 point suspension.
- High quality rubber tires are wear-resistant and durable.
- Gearbox air tight test, to make sure gearbox not leakage.

APPLICATION

upland field



paddy field



orchard



garden




farmstead



RANGE

- Power:25HP-40HP,4x4 gear drive
- customized color and hood or technical
- **canopy, roll bar or glass cabin available**



[illegible]

**More details about attachment
shows in separately. We will
introduce matched implements
for different horsepower tractor
professionally.**

pandatractor.com

TECHNICAL FEATURES

Model		EG-Four Wheel Tractor 254	EG-Four Wheel Tractor 304	EG-Four Wheel Tractor 354	EG-Four Wheel Tractor 404
Drive Type		4x4WD, Gear Transmission			
Gear Shift		(4+1)x2			
Clutch type		Dry, Single-Stage			
Steering		Hydraulic			
Differential		Differential Lock			
Ground Clearance (mm)		280			
Hydraulic Suspension		3-Point Hitch			
PTO Shaft Type		Dependent, Clockwise, 6 Spline, 540/760rpm			
Fuel Consumption (g/kW*h)		≤251.6			
Engine Type		3 Cylinder, Water-Cooled, Diesel	4 Cylinder, Water-Cooled, Diesel		
Rated Traction Force (kN)		7.2	7.5	7.8	11
Overall Dimension (LxWxH/mm)		2950x1250x1980	3100x1300x1980	3120x1330x2080	3200x1330x2080
Structural Weight (kg)		1260	1280	1300	1300
Wheelbase (mm)		1650	1700	1800	1800
Tread (mm) Adjustable		990/1020	1020/1060	990/1020	1100/1200
Min.Turning Radius (m)		4.0	4.2	4.5	4.5
Theoretical Max. Speed	Forward	33.54	33.54	36.84	36.84
	Reverse	13.39	13.39	14.71	14.71
Tire Model (F/R)		6.00-16/950-24	6.00-16/950-24	6.00-16/950-24	6.00-16/950-24
12-Hour Rated Power (kW)		18.38 (25HP)	22.10 (30Hp)	25.70 (35HP)	29.40 (40HP)
Rated Speed (rpm)		2300	2400	2400	2400
Displacement (L)		1.65	1.71	2.55	2.64

FEATURE

1. Optional installation of a group of hydraulic output, can be configured with a variety of agricultural machinery and tools.
2. Transmission with 8 forward + 2 reverse gears could always meet the demand of your tough tasks.
3. Hydraulic power steering system, four-wheel drive models can equip full hydraulic steering, that means your steering will be more smooth and flexible.
4. The hydraulic pipe oil seal is imported, to prevent oil leakage.
5. Optional different famous brand engine.

THE SERVICES



Spare parts:

A complete range of original spare parts, guaranteed directly.

Warranty:

A precise certainty for the customer's satisfaction: 2-year warranty.

Assistance:

A team of specialists, well prepared and available to assure an efficient and resolving service.

Cooperation+:

Agricultural machinery industry information and customer marketing assistance.

Panda Tractor CO.,LTD

silvia@pandatractor.com

+86 15933376293

pandatractor.com